


In the Claims:

Please cancel claims 8-9 and 13-16. Please amend claims 1, 3-5, 7 and 10-12 as follows.

1. (Currently Amended) A compound of formula (I):



(I)

wherein:

A ~~represents~~ is an optionally substituted phenyl, or an optionally substituted 5- or 6- membered heterocyclyl ring, or an optionally substituted bicyclic heterocyclyl group;

R¹ ~~represents~~ is CO₂R⁴, CONR⁵R⁶, CH₂CO₂R⁴, optionally substituted alkyl, optionally substituted alkenyl, optionally substituted SO₂alkyl, SO₂NR⁵R⁶, NR⁵CONR⁵R⁶, CONR⁵R⁶, 2H-tetrazol-5-yl-methyl or optionally substituted heterocyclyl;

each R² is independently ~~represents~~ halo, optionally substituted alkyl, CN, SO₂R⁵, SR⁵, NO₂, optionally substituted aryl, CONR⁵R⁶ or optionally substituted heteroaryl;

R^x ~~represents~~ is optionally substituted alkyl wherein 1 or 2 of the non-terminal carbon atoms may optionally be replaced by a group independently selected from NR⁴, O or SO_n, wherein n is 0, 1 or 2; or R^x may be optionally substituted CQ₂-heterocyclyl or optionally substituted CQ₂-phenyl wherein Q is independently selected from hydrogen and CH₃;

R⁴ ~~represents~~ is hydrogen or an optionally substituted alkyl;

R⁵ ~~represents~~ is hydrogen or an optionally substituted alkyl;

R^6 ~~represents~~ is hydrogen or an optionally substituted alkyl, optionally substituted SO_2 aryl, optionally substituted SO_2 heterocyclyl group, CN, optionally substituted CH_2 aryl or COR^7 ;

R^7 ~~represents~~ is hydrogen, optionally substituted heteroaryl or optionally substituted aryl;

R^8 and R^9 independently ~~represent~~ is hydrogen or alkyl; and

n is an integer from 0 to 2;

wherein when A is a 6-membered ring the R^1 and cyclopentene group are attached to carbon atoms 1,2-, 1,3- or 1,4- relative to each other, and when A is a five-membered ring or bicyclic heterocyclyl group the R^1 and cyclopentene group are attached to substitutable carbon atoms 1,2- or 1,3- relative to each other;


or a pharmaceutically acceptable derivative thereof.

2. (Original) A compound according to claim 1 wherein A is selected from phenyl, pyridyl, pyridazinyl, pyrazinyl and pyrimidinyl, all of which may be optionally substituted.

3. (Currently Amended) A compound according to claim 1 ~~or claim 2~~ wherein R^1 represents CO_2R^4 . wherein R^4 is hydrogen or C_{1-4} alkyl.

4. (Currently Amended) A compound according to claim 1 ~~any one of claims 1 to 3~~ wherein A is a six membered ring and R^1 is attached to the group A in the 3 position relative to the bond attaching A to the cyclopentene ring.

5. (Currently Amended) A compound according to claim 1 ~~any one of claims 1 to 4~~ which is a compound of formula (II):



(II)

wherein:

R^1 is CO_2R^4 ;

R^2 is halo, optionally substituted C_{1-6} alkyl ~~e.g. C_{1-4} alkyl and CF_3~~ , CN, SC_{1-6} alkyl, or $\text{SO}_2\text{C}_{1-6}$ alkyl;

each R^3 is independently ~~represents~~ halo, optionally substituted OC_{1-6} alkyl, or optionally substituted C_{1-6} alkyl;

m is an integer from 0 to 3;

n is an integer from 0 to 2;

W, X, Y and Z are ~~each represents~~ CR^{12} or N wherein at least two of W, X, Y or Z is CR^{12} ; and when each of W, X, Y, and Z is CR^{12} then each R^{12} is independently selected from hydrogen, halogen, NR^5R^6 , NHCOC_{1-6} alkyl, $\text{NH}\text{SO}_2\text{C}_{1-6}$ alkyl, C_{1-6} alkyl and $\text{NR}^{10}\text{R}^{11}$, and when at least one of W, X, Y and Z is ~~represents~~ N then each R^{12} is selected from hydrogen and ~~or~~ NH_2 ;

or a pharmaceutically acceptable ~~derivatives~~ derivative thereof.

6. (Original) A compound selected from:

{2-[5-chloro-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-bromo-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-bromo-2-(4-Chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-bromo-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-bromo-2-(3,4-dichlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-bromo-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-bromo-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-bromo-2-(4-methoxybenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

5-{2-[5-chloro-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-chloro-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-chloro-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-chloro-2-(3,4-dichlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-chloro-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-chloro-2-(4-methoxybenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-bromo-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-bromo-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-bromo-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-bromo-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-bromo-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-bromo-2-(4-methoxybenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-bromo-2-(cyclohexylmethoxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-trifluoromethyl-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;

5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-
nicotinic acid;

5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-
nicotinic acid;

5-{2-[5-trifluoromethyl-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-
enyl}-nicotinic acid;

5-{2-[5-trifluoromethyl-2-(cyclohexylmethoxy)-phenyl]-cyclopent-1-enyl}-
nicotinic acid;

6-{2-[5-chloro-2-(2,4-difluorobenzyloxy)-phenyl]cyclopent-1-enyl}-pyridine-2-
carboxylic acid;

6-{2-[5-chloro-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-
pyridine-2-carboxylic acid;

6-{2-[5-chloro-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-pyridine 2-
carboxylic acid;

6-{2-[5-chloro-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-pyridine 2-
carboxylic acid;

3-{2-[5-methylsulfanyl-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-methylsulfonyl -2-(benzyloxy)- phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-methylsulfanyl-2-(4-fluoro-benzyloxy)- phenyl]-cyclopent-1-enyl}-
benzoic acid;

3-{2-[5-methanesulfonyl-2-(4-fluoro-benzyloxy)- phenyl]-cyclopent-1-enyl}-
benzoic acid;

3-{2-[5-methylsulfanyl-2-(2,4-difluoro-benzyloxy)- phenyl]-cyclopent-1-enyl}-
benzoic acid;

3-{2-[5-methanesulfonyl-2-(2,4-difluoro-benzyloxy)- phenyl]-cyclopent-1-enyl}-
benzoic acid;

3-{2-[2-(2,4-difluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[2-(4-chloro-2-fluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[2-(4-methoxy-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-cyano-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-cyano-2-(2,4-difluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic
acid;

2-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-carboxylic acid;

6-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-methyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-methyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

2-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;

2-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;

4-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

4-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-aminopyrazine-2-carboxylic acid;

2-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-carboxylic acid;

2-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-carboxylic acid;

6-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;

3-{2[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;

6-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl] cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl] cyclopent-1-enyl}pyridine-2-carboxylic acid;

3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;

3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;

3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;

3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-acetamidobenzoic acid;

3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-acetamidobenzoic acid;

3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-acetamidobenzoic acid;

3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic acid;

3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic acid;

3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic acid;

3-{2-[5-bromo-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic acid;

3-{2-[5-bromo-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic acid;

3-{2-[5-bromo-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic acid;

5-{2-[trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl} nicotinic acid N-oxide;

5-{2-[5-fluoro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(propionamido)benzoic acid;

5-{2-[5-methyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(propionamido)benzoic acid;

5-{2-[5-methyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(propionamido)benzoic acid;

5-[2-(2-benzyloxy-5-chlorophenyl)cyclopent-1-enyl]-2-methylbenzoic acid;
5-[2-(2-Benzyloxy-5-chlorophenyl)-cyclopent-1-enyl]-2-propionylaminobenzoic acid;
2-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}isonicotinic acid;
2-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}isonicotinic acid;
2-{2-[5-chloro-2-benzyloxyphenyl]cyclopent-1-enyl}isonicotinic acid;
2-{2-[5-bromo-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}isonicotinic acid;
5-[2-(2-benzyloxy-5-chlorophenyl)cyclopent-1-enyl]-3-propionylaminobenzoic acid;
5-[2-(2-benzyloxy-5-chlorophenyl)cyclopent-1-enyl]-3-isobutyrylaminobenzoic acid;
5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-pyrrolidin-1-yl)benzoic acid;
5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-pyrrolidin-1-yl)benzoic acid;
5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-pyrrolidin-1-yl)benzoic acid;
5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-piperidin-1-yl)benzoic acid;
5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-piperidin-1-yl)benzoic acid;
5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-piperidin-1-yl)benzoic acid;
6-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;
6-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;
6-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;
5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;

5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;

5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;

5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;

5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;

5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;

5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;

5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylamino benzoic acid;

5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid

5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;

5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;

5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;

5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopenten-1-enyl}-3-acetamidobenzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(morpholin-4-yl)benzoic acid;

5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(morpholin-4-yl)benzoic acid;

5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopenten-1-enyl}-3-(morpholin-4-yl)benzoic acid;

5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methylaminobenzoic acid;

5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methylaminobenzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-methylaminobenzoic acid;

2{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;

2{2-[5-bromo-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;

2{2-[5-bromo-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;

2-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-5-amino-6-carboxylic acid;

2-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-aminopyrazine-6-carboxylic acid;

3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;

3-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;

6-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;

5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(morpholin-4-yl)benzoic acid;

5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopenten-1-enyl}-3-morpholin-4-ylbenzoic acid;

5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopenten-1-enyl}-3-(morpholin-4-yl)benzoic acid;

5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;

5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylamino benzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-diethylaminobenzoic acid;

6-{2-[5-methyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;

6-{2-[5-methyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;

6-{2-[5-fluoro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-fluoro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-fluoro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridazine-4-carboxylic acid;

6-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridazine-4-carboxylic acid;

6-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridazine-4-carboxylic acid;

5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-2-methylbenzoic acid;

5-[2-(2-(4-fluorobenzyloxy)-5-chlorophenyl)cyclopent-1-enyl]-2-methylbenzoic acid;

5-[2-(2-(4-fluorobenzyloxy)-5-chlorophenyl)cyclopent-1-enyl]-2-fluorobenzoic acid;

5-[2-(2-benzyloxy)-5-chlorophenyl]cyclopent-1-enyl]-2-fluorobenzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}nicotinic acid;

4-{2-[2-(benzyloxy)phenyl]cyclopent-1-enyl}benzoic acid;

4-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}benzoic acid;

3-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;

3-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;

3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;

3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;

3-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;

3-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;

3-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;

3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;

3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;

2-{2-[5-bromo-2-(4-fluorobenzyloxy)phenyl]-cyclopent-1-enyl}-isonicotinic acid;

2-{2-[2-(4-fluorobenzyloxy)phenyl]-cyclopent-1-enyl}-isonicotinic acid;

6-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-chloro-2-(4-bromobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-chloro-2-(2-chloro-4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-chloro-2-(2,4,6-trifluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-chloro-2-(2,6-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-chloro-2-(2-fluoro-4-trifluoromethylbenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-chloro-2-(3,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

6-{2-[5-chloro-2-(2,3-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid sodium salt;

6-{2-[5-chloro-2-(4-methylbenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid sodium salt;
6-{2-[5-chloro-2-(4-trifluoromethylbenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
3-{2[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-aminobenzoic acid;
2-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-carboxylic acid;
5-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-2-acetamidobenzoic acid;
3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-fluorobenzoic acid;
5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-2-methylbenzoic acid;
5-{2-[5-chloro-2-(2,4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopyrrolidin-1-yl)benzoic acid;
5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopyrrolidin-1-yl)benzoic acid;
5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopyrrolidin-1-yl)benzoic acid;
5-{2-[5-chloro-2-(2,4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopiperidin-1-yl)benzoic acid;
5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopiperidin-1-yl)benzoic acid; and
5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopiperidin-1-yl)benzoic acid
and pharmaceutically acceptable derivatives thereof.

7. (Currently Amended) A pharmaceutical composition comprising a compound according to claim 1 ~~any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof~~ together with a pharmaceutical carrier and/or excipient.

8-9. (Canceled)

10. (Currently Amended) A method of treating a human or animal subject suffering from a condition which is mediated by the action of PGE₂ at EP₁ receptors which comprises administering to said subject an effective amount of a compound according to claim 1 ~~any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof.~~

11. (Currently Amended) A method of treating a human or animal subject suffering from a pain, inflammatory, immunological, bone, neurodegenerative or renal disorder, which method comprises administering to said subject an effective amount of a compound according to claim 1 ~~any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof.~~

12. (Currently Amended) A method of treating a human or animal subject suffering from inflammatory pain, neuropathic pain or visceral pain which method comprises administering to said subject an effective amount of a compound according to claim 1 ~~any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof.~~

13-16. (Cancelled)

Please add new claims 17-25.

17. (New) The compound according to claim 5, wherein

R¹ is CO₂R⁴;

R² is halo, C₁₋₄alkyl, CF₃, CN, SC₁₋₆alkyl, or SO₂C₁₋₆alkyl;

each R³ is independently halo, optionally substituted OC₁₋₆alkyl, or optionally substituted C₁₋₆alkyl;

m is an integer from 0 to 3;

n is an integer from 0 to 2;

W, X, Y and Z are each CR¹² or N wherein at least two of W, X, Y or Z is CR¹²; and when each of W, X, Y, and Z is CR¹² then each R¹² is independently selected from hydrogen, halogen, NR⁵R⁶, NHCOC₁₋₆alkyl, NHSO₂C₁₋₆alkyl, C₁₋₆alkyl and NR¹⁰R¹¹, and when at least one of W, X, Y and Z is N then each R¹² is selected from hydrogen and NH₂; or a pharmaceutically acceptable derivative thereof.

18. (New) A method of treating a human or animal subject suffering from pain associated with migraine which method comprises administering to said subject an effective amount of a compound according to claim 1.

19. (New) 6-{2-[5-Chloro-2-(2,4-difluorobenzyloxy)-phenyl]cyclopent-1-enyl}-pyridine-2-carboxylic acid or a pharmaceutically acceptable derivative thereof.

20. (New) A pharmaceutical composition comprising the compound according to claim 19 together with a pharmaceutical carrier and/or excipient.

21. (New) A method of treating a human or animal subject suffering from a condition which is mediated by the action of PGE₂ at EP₁ receptors which comprises administering to said subject an effective amount of a compound according to claim 19.

22. (New) A method of treating a human or animal subject suffering from a pain, inflammatory, immunological, bone, neurodegenerative or renal disorder, which method comprises administering to said subject an effective amount of a compound according to claim 19.

23. (New) A method of treating a human or animal subject suffering from inflammatory pain, neuropathic pain or visceral pain which method comprises administering to said subject an effective amount of a compound according to claim 19.

24. (New) A method of treating a human or animal subject suffering from pain associated with migraine which method comprises administering to said subject an effective amount of a compound according to claim 19.

25. (New) 6-{2-[5-Chloro-2-(2,4-difluorobenzyloxy)-phenyl]cyclopent-1-enyl}-pyridine-2-carboxylic acid.